INDEX TO AUTHORS

A

ABBOTT, BERNARD C., and PARNAS, I. Electrical and mechanical responses in deep abdominal extensor muscles of crayfish and lobster, 919

ADELMAN, W. J., JR., DYRO, F. M., and SENFT, J. Long duration responses obtained from internally perfused axons, suppl., p. 1

ADOLPH, ALAN R. Spontaneous slow potential fluctuations in the *Limulus* photoreceptor, 297

ANDERSON, N. G. See SCHUEL, LORAND, SCHUEL, and ANDERSON, 737

ARMSTRONG, CLAY M., and BINSTOCK, LEONARD. Anomalous rectification in the squid giant axon injected with tetraethylammonium chloride, 859

— and —. The effects of several alcohols on the properties of the squid giant axon, 265

ARMSTRONG, W. McD., and ROTHSTEIN, A. Discrimination between alkali metal cations by yeast. I. Effect of pH on uptake, 61

ASADA, Y. See FUKAMI, FURUKAWA, and ASADA, 581

AWAD, M. Z. See MULLINS and AWAD, 761

B

BARR, L., DEWEY, M. M., and BERGER, W. Propagation of action potentials and the structure of the nexus in cardiac muscle, 797

BEHRENS, M. E., and WULFF, V. J. Light-initiated responses of retinula and eccentric cells in the *Limulus* lateral eye, 1081

VON BÉKÉSY, GEORG. The effect of adaptation on the taste threshold observed with a semiautomatic gustometer, 481

BERGER, W. See BARR, DEWEY, and BERGER, 797

BIBER, THOMAS U. L. See USSING, BIBER, and BRICKER, 425

BINSTOCK, LEONARD. See ARMSTRONG and BINSTOCK, 265, 859

BLATZ, PAUL E. The role of carbonium ions in color reception, 753

BLEI, MARGARITA. See VILLEGAS, BLEI, and VILLEGAS, suppl., p. 35

BLOUNT, R. See TOSTESON, COOK, and BLOUNT, 1125

BOOIJ, H. L. See VAN STEVENINCK and BOOIJ, 43

BRICKER, NEAL S. See KLAHR and BRICKER, 571

—. See USSING, BIBER, and BRICKER, 425

BRINLEY, F. J., JR. Discussion report, suppl., p. 41

BUCK, J. B. See SELIGER, BUCK, FASTIE, AND MCELROY, 95

C

CARSTEN, MARY E., AND MOMMAERTS, W. F. H. M. The accumulation of calcium ions by sarcotubular vesicles, 183

DEL CASTILLO, J., DE MELLO, W. C., and MORALES, T. Influence of some ions on the membrane potential of *Ascaris* muscle, 129

CASTLE, EDWARD S. Differential growth and phototropic bending in *Phycomyces*, 409

CEREIJIDO, MARCELINO, and CURRAN, PETER F. Intracellular electrical potentials in frog skin, 543

—. See CURRAN and CEREIJIDO, 1011

CHANDLER, W. K. See HODGKIN and CHANDLER, suppl., p. 27

—. See MEVES and CHANDLER, suppl., p. 31

CHELDELIN, VERNON H. See COFFEY, CHELDELIN, and NEWBURGH, 105

CHICHIBU, SHIKO. See EDWARDS, CHICHIBU, and HAGIWARA, 225

—. See HAGIWARA, CHICHIBU, and NAKA, 163

CIOFALO, FRANK R., and THOMAS, LYELL J., JR. The effects of zinc on contractility, membrane potentials, and cation content of rat atria, 825

CLARKSON, T. W. See GATZY and CLARKSON, 647

CLAYTON, RODERICK K. Characteristics of

fluorescence and delayed light emission from green photosynthetic bacteria and algae, 633
COFFEY, R. G., CHELDELIN, VERNON H., and NEWBURGH, R. W. Glucose utilization by chick embryo heart homogenates, 105
COLE, KENNETH S. Introduction, suppl., p. iii
CONTI, FRANCO. See EISENMAN and CONTI, suppl., p. 65
COOK, JOHN S. The quantitative interrelationships between ion fluxes, cell swelling, and radiation dose in ultraviolet hemolysis, 719
COOK, P. See TOSTESON, COOK, and BLOUNT, 1125
CURRAN, PETER F., and CEREIJIDO, MARCELINO. K fluxes in frog skin, 1011
—. See CEREIJIDO and CURRAN, 543

D

DANE, BENJAMIN. See VAN DER KLOOT and DANE, 199
DANIEL, E. E. See MACLEOD and DANIEL, 887
DENNISON, DAVID S. Steady-state phototropism in *Phycomyces*, 393
DEWEY, M. M. See BARR, DEWEY, and BERGER, 797
DIAMOND, JARED M. The mechanism of isotonic water transport, 15
—. Transport of salt and water in rabbit and guinea pig gall bladder, 1
DUGAN, JAMES A. See LEB, HOSHIKO, and LINDLEY, 527
DYRO, F. M. See ADELMAN, DYRO, and SENFT, suppl., p. 1

E

EDWARDS, CHARLES, CHICHIBU, SHIKO, and HAGIWARA, SUSUMU. Relation between membrane potential changes and tension in barnacle muscle fibers, 225
—. See MILLIGAN and EDWARDS, 975
EISENMAN, GEORGE, and CONTI, FRANCO. Some implications for biology of recent theoretical and experimental studies of ion permeation in model membranes, suppl., p. 65
ESSIG, ALVIN. See KEDEM and ESSIG, 1047

F

FASTIE, W. G. See SELIGER, BUCK, FASTIE, and MCELROY, 95
FEINSTEIN, MAURICE B. Reaction of local anesthetics with phospholipids. A possible chemical basis for anesthesia, 357
FLACKE, W. See ULBRICHT and FLACKE, 1035
FRANKENHAEUSER, BERNHARD. The ionic currents in the myelinated nerve fiber, suppl., p. 79
FREYGANG, W. H., JR., GOLDSTEIN, D. A., HELLAM, D. C., and PEACHEY, L. D. The relation between the late afterpotential and the size of the transverse tubular system of frog muscle, 235
—. See HELLAM, GOLDSTEIN, PEACHEY, and FREYGANG, 1003
FUKAMI, Y., FURUKAWA, T., and ASADA, Y. Excitability changes of the Mauthner cell during collateral inhibition, 581
FURUKAWA, T. See FUKAMI, FURUKAWA, and ASADA, 581

G

GASS, ARTHUR E., JR. See SCHULTZ, ZALUSKY, and GASS, 375
GATZY, JOHN T., and CLARKSON, T. W. The effect of mucosal and serosal solution cations on bioelectric properties of the isolated toad bladder, 647
GERBER, CARL J. See HOROWICZ and GERBER, 489, 515
GOERKE, JON, and PAGE, ERNEST. Cat heart muscle *in vitro*. VI. Potassium exchange in papillary muscles, 933
GOLDMAN, D. E. Gate control of ion flux in axons, suppl., p. 75
GOLDSTEIN, D. A. See FREYGANG, GOLDSTEIN, HELLAM, and PEACHEY, 235
—. See HELLAM, GOLDSTEIN, PEACHEY, and FREYGANG, 1003
GRANDA, ALLEN M., and STIRLING, CHARLES E. Differential spectral sensitivity in the optic tectum and eye of the turtle, 901
GRUNDFEST, HARRY. See NAKAMURA, NAKAJIMA, and GRUNDFEST, 985

H

HAGIWARA, SUSUMU. Relation of membrane properties of the giant muscle fiber of a barnacle to internal ionic composition, suppl., p. 55
—, CHICHIBU, SHIKO, and NAKA, KEN-ICHI. The effects of various ions on resting and spike potentials of barnacle muscle fibers, 163
— and NAKA, KEN-ICHI. The initiation of

spike potential in barnacle muscle fibers under low intracellular Ca^{++}, 141
HAGIWARA, SUSUMU. See EDWARDS, CHICHIBU, and HAGIWARA, 225
HANAI, T., HAYDON, D. A., and TAYLOR, JANET. Some further experiments on bimolecular lipid membranes, suppl., p. 59
HANSON, FRANK E. See WOLBARSHT and HANSON, 673
HAYDON, D. A. See HANAI, HAYDON, and TAYLOR, suppl., p. 59
HELLAM, D. C., GOLDSTEIN, D. A., PEACHEY, L. D., and FREYGANG, W. H., JR. The suppression of the late after-potential in rubidium-containing frog muscle fibers, 1003
—. See FREYGANG, GOLDSTEIN, HELLAM, and PEACHEY, 235
HERRIOTT, ROGER M. Inhibition of pepsin by a dipeptide—A correction, 1145
HIGASHINO, SHOJI, and TAKAGI, SADAYUKI F. The effect of electrotonus on the olfactory epithelium, 323
HODGKIN, A. L., and CHANDLER, W. K. Effects of changes in ionic strength on inactivation and threshold in perfused nerve fibers of *Loligo*, suppl., p. 27
HOROWICZ, PAUL, and GERBER, CARL J. Effects of external potassium and strophanthidin on sodium fluxes in frog striated muscle, 489
— and —. Effects of sodium azide on sodium fluxes in frog striated muscle, 515
HOSHIKO, T. See LEB, HOSHIKO, and LINDLEY, 527

J

JACKSON, P. C., and STIEF, K. J. Equilibrium and ion exchange characteristics of potassium and sodium accumulation by barley roots, 601

K

KAPLAN, J. GORDIN. An inducible system for the hydrolysis and transport of β-glucosides in yeast. I. Characteristics of the β-glucosidase activity of intact and of lysed cells, 873
KAPLAN-BRESLER, ANN E. Metmyoglobin oxidation during electron transport reactions in mitochondria, 685
KEDEM, ORA, and ESSIG, ALVIN. Isotope flows and flux ratios in biological membranes, 1047
KENNEDY, DONALD. See TAKEDA and KENNEDY, 435
KLAHR, SAULO, and BRICKER, NEAL S. Energetics of anaerobic sodium transport by the fresh water turtle bladder, 571

L

LEAF, ALEXANDER. See ROSEN, LEAF, and SCHWARTZ, 379
LEB, DANIEL E., HOSHIKO, T., and LINDLEY, BARRY D. Effects of alkali metal cations on the potential across toad and bullfrog urinary bladder, 527
LINDLEY, BARRY D. See LEB, HOSHIKO, and LINDLEY, 527
LORAND, L. See SCHUEL, LORAND, SCHUEL, and ANDERSON, 737

M

MACLEOD, DON P., and DANIEL, E. E. Influence of glucose on the transmembrane action potential of anoxic papillary muscle, 887
MCBURNEY, DONALD H. Subthreshold adaptation of taste, 1145
MCELROY, W. D. SEE SELIGER, BUCK, FASTIE, and MCELROY, 95
MCLAREN, IAN A. Temperature and frog eggs. A reconsideration of metabolic control, 1071
DE MELLO, W. C. See DEL CASTILLO, DE MELLO, and MORALES, 129
MEVES, H., and CHANDLER, W. K. Ionic selectivity in perfused giant axons, suppl., p. 31
MILLIGAN, J. V. The time course of the loss and recovery of contracture ability in frog striated muscle following exposure to Ca-free solutions, 841
— and EDWARDS, CHARLES. Some factors affecting the time course of the recovery of contracture ability following a potassium contracture in frog striated muscle, 975
MOMMAERTS, W. F. H. M. See CARSTEN and MOMMAERTS, 183
MOORE, J. W. Voltage clamp studies on internally perfused axons, suppl., p. 11
—, ULBRICHT, WERNER, and TAKATA, MITSURU. Effect of ethanol on the sodium and potassium conductances of the squid axon membrane, 279

MORALES, T. See DEL CASTILLO, DE MELLO, and MORALES, 129
MULLINS, L. J., and AWAD, M. Z. The control of the membrane potential of muscle fibers by the sodium pump, 761

N

NAKA, KEN-ICHI. See HAGIWARA, CHICHIBU, and NAKA, 163
—. See HAGIWARA and NAKA, 141
NAKAJIMA, SHIGEHIRO. See NAKAMURA, NAKAJIMA, and GRUNDFEST, 985
NAKAMURA, YUTAKA, NAKAJIMA, SHIGEHIRO, and GRUNDFEST, HARRY. The action of tetrodotoxin on electrogenic components of squid giant axons, 985
NARAHASHI, T. Potential, structure, and excitability of giant axon membrane, suppl., p. 19
NEWBURGH, R. W. See COFFEY, CHELDELIN, and NEWBURGH, 105
NORTHROP, JOHN H. The effect of proteolytic enzymes on *Escherichia coli* phages and on native proteins, 73

P

PAGE, ERNEST. Cat heart muscle *in vitro*. VII. The temperature dependence of steady state K exchange in presence and absence of NaCl, 949
— and STORM, S. R. Cat heart muscle *in vitro*. VIII. Active transport of sodium in papillary muscles, 957
—. See GOERKE and PAGE, 933
PARNAS, I. See ABBOTT and PARNAS, 919
PEACHEY, L. D. See FREYGANG, GOLDSTEIN, HELLAM, and PEACHEY, 235
—. See HELLAM, GOLDSTEIN, PEACHEY, and FREYGANG, 1003

R

ROSEN, HERMAN, LEAF, ALEXANDER, and SCHWARTZ, WILLIAM B. Diffusion of weak acids across the toad bladder. Influence of pH on non-ionic permeability coefficients, 379
ROTHSTEIN, A. See ARMSTRONG and ROTHSTEIN, 61
—. See VAN STEVENINCK, WEED, and ROTHSTEIN, 617

S

SAVITZ, DAVID, SIDEL, VICTOR W., and SOLOMON, A. K. Osmotic properties of human red cells, 79
SCHUEL, H., LORAND, L., SCHUEL, R., and ANDERSON, N. G. Isolation of relaxing particles from rat skeletal muscles in zonal centrifuges, 737
SCHUEL, R. See SCHUEL, LORAND, SCHUEL, and ANDERSON, 737
SCHULTZ, STANLEY G., ZALUSKY, RALPH, and GASS, ARTHUR E., JR. Ion transport in isolated rabbit ileum. III. Chloride fluxes, 375
SCHWARTZ, WILLIAM B. See ROSEN, LEAF, and SCHWARTZ, 379
SCHWEND, MARY J. See WITTENBERG, SCHWEND, and WITTENBERG, 337
SELIGER, H. H., BUCK, J. B., FASTIE, W. G., and MCELROY, W. D. The spectral distribution of firefly light, 95
SENFT, J. See ADELMAN, DYRO, and SENFT, suppl., p. 1
SIDEL, VICTOR W. See SAVITZ, SIDEL, and SOLOMON, 79
SINGER, IRWIN. See TASAKI, SINGER, and TAKENAKA, 1095
SJODIN, R. A. Discussion report, suppl., p. 83
—. The potassium flux ratio in skeletal muscle as a test for independent ion movement, 777
SOLOMON, A. K. See SAVITZ, SIDEL, and SOLOMON, 79
SPYROPOULOS, C. S. The role of temperature, potassium, and divalent ions in the current-voltage characteristics of nerve membranes, suppl., p. 49
VAN STEVENINCK, J., and ROOIJ, H. L. The role of polyphosphates in the transport mechanism of glucose in yeast cells, 43
—, WEED, R. I., and ROTHSTEIN, A. Localization of erythrocyte membrane sulfhydryl groups essential for glucose transport, 617
STIEF, K. J. See JACKSON and STIEF, 601
STIRLING, CHARLES E. See GRANDA and STIRLING, 901
STORM, S. R. See PAGE and STORM, 957

T

TAKAGI, SADAYUKI F., and YAJIMA, TOSHI. Electrical activity and histological change in the degenerating olfactory epithelium, 559
—. See HIGASHINO and TAKAGI, 323

TAKATA, MITSURU. See MOORE, ULBRICHT, and TAKATA, 279
TAKEDA, KIMIHISA, and KENNEDY, DONALD. The mechanism of discharge pattern formation in crayfish interneurons, 435
TAKENAKA, TOSHIFUMI. See TASAKI, SINGER, and TAKENAKA, 1095
TASAKI, ICHIJI, SINGER, IRWIN, and TAKENAKA, TOSHIFUMI. Effects of internal and external ionic environment on excitability of squid giant axon. A macromolecular approach, 1095
TAYLOR, JANET. See HANAI, HAYDON, and TAYLOR, suppl., p. 59
THOMAS, LYELL J., JR. See CIOFALO and THOMAS, 825
TOSTESON, D. C., COOK, P., and BLOUNT, R. Separation of adenosine triphosphatase of HK and LK sheep red cell membranes by density gradient centrifugation, 1125

U

ULBRICHT, WERNER. Some effects of calcium ions on the action potential of single nodes of Ranvier, 113
— and FLACKE, W. After-potentials and large depolarizations of single nodes of Ranvier treated with veratridine, 1035
—. See MOORE, ULBRICHT, and TAKATA, 279
USSING, HANS H., BIBER, THOMAS U. L., and BRICKER, NEAL S. Exposure of the isolated frog skin to high potassium concentrations at the internal surface. II. Changes in epithelial cell volume, resistance, and response to antidiuretic hormone, 425

V

VAN DER KLOOT, WILLIAM G., and DANE, BENJAMIN. The efflux of substances from frog ventricles to sucrose and to Ringer's solutions, 199
VILLEGAS, GLORIA M. See VILLEGAS, BLEI, and VILLEGAS, suppl., p. 35
VILLEGAS, RAIMUNDO, BLEI, MARGARITA, and VILLEGAS, GLORIA M. Penetration of non-electrolyte molecules in resting and stimulated squid nerve fibers, suppl., p. 35

W

WEED, R. I. See VAN STEVENINCK, WEED, and ROTHSTEIN, 617
WHITTEMBURY, GUILLERMO. Sodium extrusion and potassium uptake in guinea pig kidney cortex slices, 699
WINEGRAD, SAUL. Autoradiographic studies of intracellular calcium in frog skeletal muscle, 455
—. The location of muscle calcium with respect to the myofibrils, 997
WITTENBERG, BEATRICE A. See WITTENBERG, SCHWEND, and WITTENBERG, 337
WITTENBERG, JONATHAN B., SCHWEND, MARY J., and WITTENBERG, BEATRICE A. The secretion of oxygen into the swim-bladder of fish. III. The role of carbon dioxide, 337
WOLBARSHT, MYRON L., and HANSON, FRANK E. Electrical activity in the chemoreceptors of the blowfly. III. Dendritic action potentials, 673
WULFF, V. J. See BEHRENS and WULFF, 1081

Y

YAJIMA, TOSHI. See TAKAGI and YAJIMA, 559

Z

ZALUSKY, RALPH. See SCHULTZ, ZALUSKY, and GASS, 375

INDEX TO SUBJECTS

A

Abdominal extensor muscles, deep, of crayfish and lobster, electrical and mechanical responses, 919
Acids, weak, diffusion across toad bladder, influence of hydrogen ion concentration on non-ionic permeability coefficients, 379
Adaptation, effect on taste threshold observed with semiautomatic gustometer, 481
Adenosine triphosphatase of HK and LK sheep red cell membranes, separation by density gradient centrifugation, 1125
Alcohols, effects on squid giant axon properties, 265
Algae and green photosynthetic bacteria, characteristics of fluorescence and delayed light emission from, 633
Alkali metal cations, discrimination between by yeast, effect of hydrogen ion concentration on uptake, 61
— metal cations, effects on potential across toad and bullfrog urinary bladder, 527
Ammonium chloride, tetraethyl-, anomalous rectification in squid giant axon injected with, 859
Anaerobic sodium transport by fresh water turtle bladder, energetics, 571
Anesthesia, possible chemical basis for, in reaction of local anesthetics with phospholipids, 357
Anesthetics, local, reaction with phospholipids, possible chemical basis for anesthesia, 357
Anoxic papillary muscle, transmembrane action potential, influence of glucose, 887
Antidiuretic hormone, response to, epithelial cell volume, and resistance in exposure of isolated frog skin to high potassium concentrations at internal surface, changes in, 425
Ascaris muscle, membrane potential, influence of ions, 129
Atria, rat, effects of zinc on contractility, membrane potentials, and cation content, 825
Autoradiographic studies of intracellular calcium in frog skeletal muscle, 455
Axon membrane, giant, potential, structure, and excitability, suppl., p. 19
—, squid, giant, excitability, effects of internal and external ionic environment, macromolecular approach, 1095
—, squid, giant, injected with tetraethylammonium chloride, anomalous rectification in, 859
—, squid, giant, properties, effects of alcohols, 265
—, squid, membrane, sodium and potassium conductances, effect of ethanol, 279
Axons, giant, perfused, ionic selectivity in, suppl., p. 31
—, internally perfused, long duration responses obtained from, suppl., p. 1
—, internally perfused, voltage clamp studies, suppl., p. 11
—, ion flux, gate control, suppl., p. 75
—, squid, giant, electrogenic components, tetrodotoxin action on, 985

B

Bacteria, photosynthetic, green, and algae, characteristics of fluorescence and delayed light emission from, 633
Bacteriophage, *Escherichia coli*, and native proteins, effect of proteolytic enzymes, 73
Barley roots, equilibrium and ion exchange characteristics of potassium and sodium accumulation by, 601
Barnacle giant muscle fiber, membrane properties, relation to internal ionic composition, suppl., p. 55
— muscle fibers, initiation of spike potential under low intracellular calcium ion, 141
— muscle fibers, resting and spike potentials, effects of ions, 163
— muscle fibers, tension in, and membrane potential changes, relation between, 225
Bimolecular lipid membranes, suppl., p. 59
Bioelectric properties of isolated toad bladder, effect of mucosal and serosal solution cations, 647

Biological membranes, isotope flows and flux ratios, 1047
Biology, implications of recent theoretical and experimental studies of ion permeation in model membranes for, suppl., p. 65
Bladder, gall, rabbit and guinea pig, salt and water transport in, 1
—, toad, diffusion of weak acids across, influence of hydrogen ion concentration on non-ionic permeability coefficients, 379
—, toad, isolated, bioelectric properties, effect of mucosal and serosal solution cations, 647
—, turtle, fresh water, energetics of anaerobic sodium transport by, 571
—, urinary, toad and bullfrog, potential across, effects of alkali metal cations, 527
Blood cells, red. *See* Erythrocytes.
Blowfly, chemoreceptors, electrical activity, dendritic action potentials, 673
Bullfrog and toad urinary bladder, potential across, effects of alkali metal cations, 527

C

Calcium, intracellular, in frog skeletal muscle, autoradiographic studies, 455
— ion, intracellular, low, initiation of spike potential in barnacle muscle fibers under, 141
— ions, accumulation by sarcotubular vesicles, 183
— ions, effects on action potential of single nodes of Ranvier, 113
—, muscle, location with respect to myofibrils, 997
Calcium-free solutions, time course of loss and recovery of contracture ability in frog striated muscle following exposure to, 841
Carbon dioxide, role in oxygen secretion into fish swim-bladder, 337
Carbonium ions, role in color reception, 753
Cardiac muscle, nexus in, structure, and propagation of action potentials, 797
Cat heart muscle *in vitro*, active transport of sodium in papillary muscles, 957
— heart muscle *in vitro*, potassium exchange in papillary muscles, 933
— heart muscle *in vitro*, temperature dependence of steady-state potassium exchange in presence and absence of sodium chloride, 949
Cation content, contractility, and membrane potentials of rat atria, effects of zinc, 825
Cations, metal, alkali, discrimination between by yeast, effect of hydrogen ion concentration on uptake, 61
—, metal, alkali, effects on potential across toad and bullfrog urinary bladder, 527
—, solution, mucosal and serosal, effect on bioelectric properties of isolated toad bladder, 647
Cell, initiation of spike potential in barnacle muscle fibers under low intracellular calcium ion, 141
—, intracellular calcium in frog skeletal muscle, autoradiographic studies, 455
—, intracellular electrical potentials in frog skin, 543
—, Mauthner, excitability changes during collateral inhibition, 581
— swelling, ion fluxes, and radiation dose, quantitative interrelationships in ultraviolet hemolysis, 719
— volume, epithelial, resistance, and response to antidiuretic hormone in exposure of isolated frog skin to high potassium concentrations at internal surface, changes in, 425
Cells, blood, red. *See* Erythrocytes.
—, eccentric, and retinula, in *Limulus* lateral eye, light-initiated responses, 1081
—, intact and lysed, β-glucosidase activity, characteristics, 873
—, yeast, role of polyphosphates in glucose transport mechanism in, 43
Centrifugation, density gradient, separation of adenosine triphosphatase of HK and LK sheep red cell membranes by, 1125
Centrifuges, zonal, isolation of relaxing particles from rat skeletal muscles in, 737
Chemical basis, possible, for anesthesia in reaction of local anesthetics with phospholipids, 357
Chemoreceptors, blowfly, electrical activity, dendritic action potentials, 673
Chloride fluxes in isolated rabbit ileum, 375
Color reception, role of carbonium ions, 753
Concentrations, potassium, high, exposure of isolated frog skin at internal surface to, changes in epithelial cell volume, resist-

ance, and response to antidiuretic hormone, 425
Conductances, sodium and potassium, of squid axon membrane, effect of ethanol, 279
Contractility, membrane potentials, and cation content of rat atria, effects of zinc, 825
Contracture ability in frog striated muscle, time course of loss and recovery following exposure to calcium-free solutions, 841
— ability, recovery following potassium contracture in frog striated muscle, factors affecting time course, 975
Cortex slices, kidney, guinea pig, sodium extrusion and potassium uptake, 699
Crayfish interneurons, discharge pattern formation, mechanism, 435
— and lobster, deep abdominal extensor muscles, electrical and mechanical responses, 919
Currents, ionic, in myelinated nerve fiber, suppl., p. 79
Current-voltage characteristics of nerve membranes, role of temperature, potassium, and divalent ions in, suppl., p. 49

D

Dendritic action potentials in chemoreceptors of blowfly, 673
Density gradient centrifugation, separation of adenosine triphosphatase of HK and LK sheep red cell membranes by, 1125
Depolarizations, large, and after-potentials, of single nodes of Ranvier treated with veratridine, 1035
Diffusion of weak acids across toad bladder, influence of hydrogen ion concentration on non-ionic permeability coefficients, 379
Dipeptide inhibition of pepsin, correction, 1145
Discharge pattern formation in crayfish interneurons, mechanism, 435
Dose, radiation, ion fluxes, and cell swelling, quantitative interrelationships in ultraviolet hemolysis, 719

E

Eccentric cells and retinula in *Limulus* lateral eye, light-initiated responses, 1081
Eggs, frog, and temperature, metabolic control, 1071
Electrical activity and histological change in degenerating olfactory epithelium, 559
— activity in chemoreceptors of blowfly, dendritic action potentials, 673
— and mechanical responses in deep abdominal extensor muscles of crayfish and lobster, 919
— potentials, intracellular, in frog skin, 543
Electrogenic components of squid giant axons, tetrodotoxin action on, 985
Electrolyte, non-, molecules, penetration in resting and stimulated squid nerve fibers, suppl., p. 35
Electron transport reactions in mitochondria, metmyoglobin oxidation during, 685
Electrotonus, effect on olfactory epithelium, 323
Embryo, heart, chick, homogenates, glucose utilization, 105
Emission, light, delayed, and fluorescence from green photosynthetic bacteria and algae, characteristics, 633
Energy of anaerobic sodium transport by fresh water turtle bladder, 571
Enzymes, proteolytic, effect on *Escherichia coli* phages and on native proteins, 73
Epithelial cell volume, resistance, and response to antidiuretic hormone in exposure of isolated frog skin to high potassium concentrations at internal surface, changes in, 425
Epithelium, olfactory, degenerating, electrical activity and histological change in, 559
—, olfactory, effect of electrotonus, 323
Erythrocyte membrane sulfhydryl groups essential for glucose transport, localization, 617
— membranes, sheep, HK and LK, adenosine triphosphatase, separation by density gradient centrifugation, 1125
Erythrocytes, human, osmotic properties, 79
Escherichia coli phages and native proteins, effect of proteolytic enzymes, 73
Ethanol effect on sodium and potassium conductances of squid axon membrane, 279
Excitability changes of Mauthner cell during collateral inhibition, 581
— of squid giant axon, effects of internal

and external ionic environment, macromolecular approach, 1095
Excitability, potential, and structure of giant axon membrane, suppl., p. 19
Extensor muscles, abdominal, deep, of crayfish and lobster, electrical and mechanical responses, 919
Eye, *Limulus* lateral, retinula and eccentric cells, light-initiated responses, 1081
— and optic tectum, turtle, differential spectral sensitivity in, 901

F

Fiber, muscle, giant, barnacle, membrane properties, relation to internal ionic composition, suppl., p. 55
—, nerve, myelinated, ionic currents in, suppl., p. 79
Fibers, muscle, barnacle, initiation of spike potential under low intracellular calcium ion, 141
—, muscle, barnacle, resting and spike potentials, effects of ions, 163
—, muscle, barnacle, tension in, and membrane potential changes, relation between, 225
—, muscle, frog, rubidium-containing, suppression of late after-potential in, 1003
—, muscle, membrane potential, control by sodium pump, 761
—, nerve, *Loligo*, perfused, effects of changes in ionic strength on inactivation and threshold, suppl., p. 27
—, nerve, squid, resting and stimulated, penetration of non-electrolyte molecules, suppl., p. 35
Firefly light, spectral distribution, 95
Fish swim-bladder, oxygen secretion into, role of carbon dioxide, 337
Flows, isotope, and flux ratios in biological membranes, 1047
Fluorescence and delayed light emission from green photosynthetic bacteria and algae, characteristics, 633
Flux, ion, in axons, gate control, suppl., p. 75
— ratio, potassium, in skeletal muscle as test for independent ion movement, 777
— ratios and isotope flows in biological membranes, 1047
Fluxes, ion, cell swelling, and radiation dose, quantitative interrelationships in ultraviolet hemolysis, 719
Fluxes, potassium, in frog skin, 1011
—, sodium, in frog striated muscle, effects of external potassium and strophanthidin, 489
—, sodium, in frog striated muscle, effects of sodium azide, 515
Fowl embryo heart homogenates, glucose utilization, 105
Frog eggs and temperature, metabolic control, 1071
— muscle fibers, rubidium-containing, suppression of late after-potential in, 1003
— muscle, late after-potential and size of transverse tubular system, relation between, 235
— skeletal muscle, intracellular calcium in, autoradiographic studies, 455
— skin, intracellular electrical potentials, 543
— skin, isolated, exposure to high potassium concentrations at internal surface, changes in epithelial cell volume, resistance, and response to antidiuretic hormone, 425
— skin, potassium fluxes, 1011
— striated muscle, contracture ability, time course of loss and recovery, following exposure to calcium-free solutions, 841
— striated muscle, potassium contracture in, factors affecting time course of recovery of contracture ability, 975
— striated muscle, sodium fluxes, effects of external potassium and strophanthidin, 489
— striated muscle, sodium fluxes, effects of sodium azide, 515
— ventricles, efflux of substances to sucrose and to Ringer's solutions from, 199

G

Gall bladder, rabbit and guinea pig, salt and water transport in, 1
Glucose in yeast cells, role of polyphosphates in transport mechanism, 43
—, influence on transmembrane action potential of anoxic papillary muscle, 887
— transport, localization of erythrocyte membrane sulfhydryl groups essential for, 617
—utilization by chick embryo heart homogenates, 105
Glucosidase, β-, activity of intact and lysed yeast cells, characteristics, 873
Glucosides, β-, in yeast, hydrolysis and transport, inducible system for, characteristics of β-glucosidase activity of intact and lysed cells, 873

Growth, differential, and phototropic bending in *Phycomyces*, 409
Gustometer, semiautomatic, effect of adaptation on taste threshold observed with, 481

H

Heart homogenates, chick embryo, glucose utilization, 105
— muscle, cat, *in vitro*, active transport of sodium in papillary muscles, 957
— muscle, cat, *in vitro*, potassium exchange in papillary muscles, 933
— muscle, cat, *in vitro*, temperature dependence of steady-state potassium exchange in presence and absence of sodium chloride, 949
Hemolysis, ultraviolet, quantitative interrelationships between ion fluxes, cell swelling, and radiation dose in, 719
Histological change and electrical activity in degenerating olfactory epithelium, 559
Hormone, antidiuretic, response to, epithelial cell volume, and resistance in exposure of isolated frog skin to high potassium concentrations at internal surface, changes in, 425
Hydrogen ion concentration, effect on discrimination between alkali metal cations in uptake by yeast, 61
— ion concentration, influence on non-ionic permeability coefficients in diffusion of weak acids across toad bladder, 379
Hydrolysis and transport of β-glucosides in yeast, inducible system for, characteristics of β-glucosidase activity of intact and lysed cells, 873

I

Ileum, rabbit, isolated, ion transport, chloride fluxes, 375
Inhibition, collateral, excitability changes of Mauthner cell during, 581
— of pepsin by dipeptide, correction, 1145
Injection with tetraethylammonium chloride, anomalous rectification in squid giant axon with, 859
Interneurons, crayfish, discharge pattern formation, mechanism, 435
Ion, calcium, intracellular, low, initiation of spike potential in barnacle muscle fibers under, 141
— concentration, hydrogen, effect on discrimination between alkali metal cations in uptake by yeast, 61
Ion concentration, hydrogen, influence on non-ionic permeability coefficients in diffusion of weak acids across toad bladder, 379
— exchange and equilibrium characteristics of potassium and sodium accumulation by barley roots, 601
— flux in axons, gate control, suppl., p. 75
— fluxes, cell swelling, and radiation dose, quantitative interrelationships in ultraviolet hemolysis, 719
— movement, independent, potassium flux ratio in skeletal muscle as test for, 777
— permeation in model membranes, recent theoretical and experimental studies, implications for biology, suppl., p. 65
— transport in isolated rabbit ileum, chloride fluxes, 375
Ionic composition, internal, relation of membrane properties of barnacle giant muscle fiber to, suppl., p. 55
— currents in myelinated nerve fiber, suppl., p. 79
— environment, internal and external, effects on squid giant axon excitability, macromolecular approach, 1095
— selectivity in perfused giant axons, suppl., p. 31
— strength, effects of changes on inactivation and threshold in perfused *Loligo* nerve fibers, suppl., p. 27
Ions, calcium, accumulation by sarcotubular vesicles, 183
—, calcium, effects on action potential of single nodes of Ranvier, 113
—, carbonium, role in color reception, 753
—, divalent, temperature, and potassium, role in current-voltage characteristics of nerve membranes, suppl., p. 49
—, effects on resting and spike potentials of barnacle muscle fibers, 163
—, influence on *Ascaris* muscle membrane potential, 129
Isotonic water transport, mechanism, 15
Isotope flows and flux ratios in biological membranes, 1047

K

Kidney cortex slices, guinea pig, sodium extrusion and potassium uptake, 699

L

Light emission, delayed, and fluorescence from green photosynthetic bacteria and algae, characteristics, 633
—, firefly, spectral distribution, 95

Light-initiated responses of retinula and eccentric cells in *Limulus* lateral eye, 1081
Limulus lateral eye, retinula and eccentric cells, light-initiated responses, 1081
— photoreceptor, spontaneous slow potential fluctuations in, 297
Lipid membranes, bimolecular, suppl., p. 59
Lobster and crayfish, deep abdominal extensor muscles, electrical and mechanical responses, 919
Loligo, nerve fibers, perfused, effects of changes in ionic strength on inactivation and threshold, suppl., p. 27
Lysed and intact cells, β-glucosidase activity, characteristics, 873

M

Macromolecular approach to effects of internal and external ionic environment on excitability of squid giant axon, 1095
Man, red cells, osmotic properties, 79
Mauthner cell, excitability changes during collateral inhibition, 581
Membrane, axon, giant, potential, structure, and excitability, suppl., p. 19
—, erythrocyte, sulfhydryl groups essential for glucose transport, localization, 617
— potential, *Ascaris* muscle, influence of ions, 129
— potential changes and tension in barnacle muscle fibers, relation between, 225
— potential, muscle fibers, control by sodium pump, 761
— potentials, contractility, and cation content of rat atria, effects of zinc, 825
— properties of barnacle giant muscle fiber, relation to internal ionic composition, suppl., p. 55
—, squid axon, sodium and potassium conductances, effect of ethanol, 279
Membranes, biological, isotope flows and flux ratios, 1047
—, lipid, bimolecular, suppl., p. 59
—, model, recent theoretical and experimental studies of ion permeation in, implications for biology, suppl., p. 65
—, nerve, current-voltage characteristics, role of temperature, potassium, and divalent ions in, suppl., p. 49
—, red cell, sheep, HK and LK, adenosine triphosphatase, separation by density gradient centrifugation, 1125
Metabolic control, temperature and frog eggs, 1071
Metal cations, alkali, discrimination between by yeast, effect of hydrogen ion concentration on uptake, 61
— cations, alkali, effects on potential across toad and bullfrog urinary bladder, 527
Metmyoglobin oxidation during electron transport reactions in mitochondria, 685
Mitochondria, metmyoglobin oxidation during electron transport reactions in, 685
Molecules, non-electrolyte, penetration in resting and stimulated squid nerve fibers, suppl., p. 35
Mucosal and serosal solution cations, effect on bioelectric properties of isolated toad bladder, 647
Muscle, *Ascaris*, membrane potential, influence of ions, 129
— calcium, location with respect to myofibrils, 997
—, cardiac, nexus in, structure, and propagation of action potentials, 797
— fiber, giant, barnacle, membrane properties, relation to internal ionic composition, suppl., p. 55
— fibers, barnacle, initiation of spike potential under low intracellular calcium ion, 141
— fibers, barnacle, resting and spike potentials, effects of ions, 163
— fibers, barnacle, tension in, and membrane potential changes, relation between, 225
— fibers, frog, rubidium-containing, suppression of late after-potential in, 1003
— fibers, membrane potential, control by sodium pump, 761
—, frog, late after-potential and size of transverse tubular system, relation between, 235
—, heart, cat, *in vitro*, active transport of sodium in papillary muscles, 957
—, heart, cat, *in vitro*, potassium exchange in papillary muscles, 933
—, heart, cat, *in vitro*, temperature dependence of steady-state potassium exchange in presence and absence of sodium chloride, 949
—, papillary, anoxic, transmembrane action potential, influence of glucose, 887
—, skeletal, frog, intracellular calcium in, autoradiographic studies, 455
—, skeletal, potassium flux ratio as test for independent ion movement, 777
—, striated, frog, contracture ability, time

course of loss and recovery, following exposure to calcium-free solutions, 841
Muscle, striated, frog, potassium contracture in, factors affecting time course of recovery of contracture ability, 975
—, striated, frog, sodium fluxes, effects of external potassium and strophanthidin, 489
—, striated, frog, sodium fluxes, effects of sodium azide, 515
Muscles, extensor, abdominal, deep, of crayfish and lobster, electrical and mechanical responses, 919
—, papillary, cat, active transport of sodium *in vitro*, 957
—, papillary, cat, potassium exchange *in vitro*, 933
—, skeletal, rat, relaxing particles from, isolation in zonal centrifuges, 737
Myelinated nerve fiber, ionic currents in, suppl., p. 79
Myofibrils, location of muscle calcium with respect to, 997

N

Nerve fiber, myelinated, ionic currents in, suppl., p. 79
— fibers, *Loligo*, perfused, effects of changes in ionic strength on inactivation and threshold, suppl., p. 27
— fibers, squid, resting and stimulated, penetration of non-electrolyte molecules, suppl., p. 35
— membranes, current-voltage characteristics, role of temperature, potassium, and divalent ions in, suppl., p. 49
Nexus in cardiac muscle, structure, and propagation of action potentials, 797
Nodes, single, Ranvier, action potential, effects of calcium ions, 113
—, single, Ranvier, treated with veratridine, after-potentials and large depolarizations, 1035

O

Olfactory epithelium, degenerating, electrical activity and histological change in, 559
— epithelium, effect of electrotonus, 323
Optic tectum and eye, turtle, differential spectral sensitivity in, 901
Osmotic properties of human red cells, 79
Oxidation, metmyoglobin, during electron transport reactions in mitochondria, 685
Oxygen secretion into fish swim-bladder, role of carbon dioxide, 337

P

Papillary muscle, anoxic, transmembrane action potential, influence of glucose, 887
— muscles, cat, active transport of sodium *in vitro*, 957
— muscles, cat, potassium exchange *in vitro*, 933
Particles, relaxing, isolation from rat skeletal muscles in zonal centrifuges, 737
Pepsin inhibition by dipeptide, correction, 1145
Perfused axons, internally, long duration responses obtained from, suppl., p. 1
— axons, internally, voltage clamp studies, suppl., p. 11
— giant axons, ionic selectivity in, suppl., p. 31
— *Loligo* nerve fibers, effects of changes in ionic strength on inactivation and threshold in, suppl., p. 27
Permeability coefficients, non-ionic, influence of hydrogen ion concentration on, diffusion of weak acids across toad bladder, 379
Permeation, ion, in model membranes, recent theoretical and experimental studies, implications for biology, suppl., p. 65
Phage. *See* Bacteriophage.
Phosphates, poly-, role in glucose transport mechanism in yeast cells, 43
Phospholipids, reaction of local anesthetics with, possible chemical basis for anesthesia, 357
Photoreceptor, *Limulus*, spontaneous slow potential fluctuations in, 297
Photosynthetic bacteria, green, and algae, characteristics of fluorescence and delayed light emission from, 633
Phototropic bending and differential growth in *Phycomyces*, 409
Phototropism, steady-state, in *Phycomyces*, 393
Phycomyces, differential growth and phototropic bending in, 409
—, steady-state phototropism in, 393
Polyphosphates, role in glucose transport mechanism in yeast cells, 43
Potassium concentrations, high, exposure of isolated frog skin at internal surface to, changes in epithelial cell volume, resis-

tance, and response to antidiuretic hormone, 425
Potassium contracture in frog striated muscle, factors affecting time course of recovery of contracture ability following, 975
— exchange *in vitro* in cat papillary muscles, 933
— exchange, steady-state, temperature dependence in presence and absence of sodium chloride in cat heart muscle *in vitro*, 949
—, external, and strophanthidin, effects on sodium fluxes in frog striated muscle, 489
— flux ratio in skeletal muscle as test for independent ion movement, 777
— fluxes in frog skin, 1011
— and sodium accumulation by barley roots, equilibrium and ion exchange characteristics, 601
— and sodium conductances of squid axon membrane, effect of ethanol, 279
—, temperature, and divalent ions, role in current-voltage characteristics of nerve membranes, suppl., p. 49
— uptake and sodium extrusion in guinea pig kidney cortex slices, 699
Potential across toad and bullfrog urinary bladder, effects of alkali metal cations, 527
—, action, single nodes of Ranvier, effects of calcium ions, 113
—, action, transmembrane, of anoxic papillary muscle, influence of glucose, 887
—, after-, late, and size of transverse tubular system of frog muscle, relation between, 235
—, after-, late, suppression in rubidium-containing frog muscle fibers, 1003
— changes, membrane, and tension in barnacle muscle fibers, relation between, 225
— fluctuations, spontaneous slow, in *Limulus* photoreceptor, 297
— initiation, spike, in barnacle muscle fibers under low intracellular calcium ion, 141
—, membrane, *Ascaris* muscle, influence of ions, 129
—, membrane, muscle fibers, control by sodium pump, 761
Potential, structure, and excitability of giant axon membrane, suppl., p. 19
Potentials, action, propagation, and structure of nexus in cardiac muscle, 797
—, after-, and large depolarizations of single nodes of Ranvier treated with veratridine, 1035
—, dendritic action, in chemoreceptors of blowfly, 673
—, electrical, intracellular, in frog skin, 543
—, membrane, contractility, and cation content of rat atria, effects of zinc, 825
—, resting and spike, of barnacle muscle fibers, effects of ions, 163
Proteins, native, and *Escherichia coli* phages, effect of proteolytic enzymes, 73
Proteolytic enzymes, effect on *Escherichia coli* phages and on native proteins, 73
Pump, sodium, control of membrane potential of muscle fibers by, 761

R

Radiation dose, ion fluxes, and cell swelling, quantitative interrelationships in ultraviolet hemolysis, 719
Ranvier nodes, single, action potential, effects of calcium ions, 113
— single nodes, treated with veratridine, after-potentials and large depolarizations, 1035
Rat atria, contractility, membrane potentials, and cation content, effects of zinc, 825
— skeletal muscles, relaxing particles from, isolation in zonal centrifuges, 737
Reactions, electron transport, in mitochondria, metmyoglobin oxidation during, 685
Reception, color, role of carbonium ions, 753
Rectification, anomalous, in squid giant axon injected with tetraethylammonium chloride, 859
Resistance, epithelial cell volume, and response to antidiuretic hormone in exposure of isolated frog skin to high potassium concentrations at internal surface, changes in, 425
Responses, electrical and mechanical, in deep abdominal extensor muscles of crayfish and lobster, 919
—, light-initiated, of retinula and eccentric cells in *Limulus* lateral eye, 1081

Responses, long duration, obtained from internally perfused axons, suppl., p. 1
Retinula and eccentric cells in *Limulus* lateral eye, light-initiated responses, 1081
Ringer's and sucrose solutions, efflux of substances from frog ventricles to, 199
Roots, barley, equilibrium and ion exchange characteristics of potassium and sodium accumulation by, 601
Rubidium-containing frog muscle fibers, suppression of late after-potential in, 1003

S

Salt and water transport in rabbit and guinea pig gall bladder, 1
Sarcotubular vesicles, accumulation of calcium ions by, 183
Secretion, oxygen, into fish swim-bladder, role of carbon dioxide, 337
Sensitivity, spectral, differential, in turtle optic tectum and eye, 901
Serosal and mucosal solution cations, effect on bioelectric properties of isolated toad bladder, 647
Sheep red cell membranes, HK and LK, adenosine triphosphatase, separation by density gradient centrifugation, 1125
Skeletal muscle, frog, intracellular calcium in, autoradiographic studies, 455
— muscle, potassium flux ratio as test for independent ion movement, 777
— muscles, rat, relaxing particles from, isolation in zonal centrifuges, 737
Skin, frog, intracellular electrical potentials in, 543
—, frog, isolated, exposure to high potassium concentrations at internal surface, changes in epithelial cell volume, resistance, and response to antidiuretic hormone, 425
—, frog, potassium fluxes in, 1011
Sodium azide, effects on sodium fluxes in frog striated muscle, 515
— chloride, temperature dependence of steady-state potassium exchange in presence and absence of, in cat heart muscle *in vitro*, 949
— extrusion and potassium uptake in guinea pig kidney cortex slices, 699
— fluxes in frog striated muscle, effects of external potassium and strophanthidin, 489
— fluxes in frog striated muscle, effects of sodium azide, 515
Sodium and potassium accumulation by barley roots, equilibrium and ion exchange characteristics, 601
— and potassium conductances of squid axon membrane, effect of ethanol, 279
— pump, control of membrane potential of muscle fibers by, 761
— transport, active, in cat papillary muscles *in vitro*, 957
— transport, anaerobic, by fresh water turtle bladder, energetics, 571
Solution cations, mucosal and serosal, effect on bioelectric properties of isolated toad bladder, 647
Solutions, calcium-free, time course of loss and recovery of contracture ability in frog striated muscle following exposure to, 841
—, sucrose and Ringer's, efflux of substances from frog ventricles to, 199
Spectral distribution of firefly light, 95
— sensitivity, differential, in turtle optic tectum and eye, 901
Spike potential initiation in barnacle muscle fibers under low intracellular calcium ion, 141
— and resting potentials of barnacle muscle fibers, effects of ions, 163
Squid axon membrane, sodium and potassium conductances, effect of ethanol, 279
— giant axon, excitability, effects of internal and external ionic environment, macromolecular approach, 1095
— giant axon injected with tetraethylammonium chloride, anomalous rectification in, 859
— giant axon, properties, effects of alcohols, 265
— giant axons, electrogenic components, tetrodotoxin action on, 985
— nerve fibers, resting and stimulated, penetration of non-electrolyte molecules, suppl., p. 35
Stimulated and resting squid nerve fibers, penetration of non-electrolyte molecules, suppl., p. 35
Striated muscle, frog, contracture ability, time course of loss and recovery, following exposure to calcium-free solutions, 841
— muscle, frog, potassium contracture in, factors affecting time course of recovery of contracture ability, 975
— muscle, frog, sodium fluxes, effects of ex-

ternal potassium and strophanthidin, 489
Striated muscle, frog, sodium fluxes, effects of sodium azide, 515
Strophanthidin and external potassium, effects on sodium fluxes in frog striated muscle, 489
Sucrose and Ringer's solutions, efflux of substances from frog ventricles to, 199
Sulfhydryl groups essential for glucose transport, erythrocyte membrane, localization, 617
Swim-bladder, fish, oxygen secretion into, role of carbon dioxide, 337

T

Taste, subthreshold adaptation, 1145
— threshold observed with semiautomatic gustometer, effect of adaptation, 481
Tectum, optic, and eye, turtle, differential spectral sensitivity in, 901
Temperature dependence of steady-state potassium exchange in presence and absence of sodium chloride in cat heart muscle *in vitro*, 949
— and frog eggs, metabolic control, 1071
—, potassium, and divalent ions, role in current-voltage characteristics of nerve membranes, suppl., p. 49
Tension in barnacle muscle fibers and membrane potential changes, relation between, 225
Tetraethylammonium chloride, anomalous rectification in squid giant axon injected with, 859
Tetrodotoxin action on electrogenic components of squid giant axons, 985
Time course of loss and recovery of contracture ability in frog striated muscle following exposure to calcium-free solutions, 841
— course of recovery of contracture ability following potassium contracture in frog striated muscle, 975
Toad bladder, diffusion of weak acids across, influence of hydrogen ion concentration on non-ionic permeability coefficients, 379
— bladder, isolated, bioelectric properties, effect of mucosal and serosal solution cations, 647
— and bullfrog urinary bladder, potential across, effects of alkali metal cations, 527
Transmembrane action potential of anoxic papillary muscle, influence of glucose, 887
Transport, active, of sodium in cat papillary muscles *in vitro*, 957
—, glucose, localization of erythrocyte membrane sulfhydryl groups essential for, 617
— and hydrolysis of β-glucosides in yeast, inducible system for, characteristics of β-glucosidase activity of intact and lysed cells, 873
—, ion, in isolated rabbit ileum, chloride fluxes, 375
— mechanism of glucose in yeast cells, role of polyphosphates, 43
— reactions, electron, in mitochondria, metmyoglobin oxidation during, 685
—, salt and water in rabbit and guinea pig gall bladder, 1
—, sodium, anaerobic, by fresh water turtle bladder, energetics, 571
—, water, isotonic, mechanism, 15
Tubular system, transverse, of frog muscle, size, and late after-potential, relation between, 235
Turtle bladder, fresh water, energetics of anaerobic sodium transport by, 571
— optic tectum and eye, differential spectral sensitivity in, 901

U

Ultraviolet hemolysis, quantitative interrelationships between ion fluxes, cell swelling, and radiation dose in, 719
Urinary bladder, toad and bullfrog, potential across, effects of alkali metal cations, 527

V

Ventricles, frog, efflux of substances to sucrose and to Ringer's solutions from, 199
Veratridine, after-potentials and large depolarizations of single nodes of Ranvier treated with, 1035
Vesicles, sarcotubular, accumulation of calcium ions by, 183
Voltage clamp studies on internally perfused axons, suppl., p. 11
Voltage-current characteristics of nerve membranes, role of temperature, potassium, and divalent ions in, suppl., p. 49

W

Water, fresh, turtle, bladder, energetics of anaerobic sodium transport by, 571
— and salt transport in rabbit and guinea pig gall bladder, 1
— transport, isotonic, mechanism, 15

Y

Yeast cells, roie of polyphosphates in glucose transport mechanism in, 43
—, discrimination between alkali metal cations by, effect of hydrogen ion concentration on uptake, 61
Yeast, hydrolysis and transport of β-glucosides in, inducible system for, characteristics of β-glucosidase activity of intact and lysed cells, 873

Z

Zinc, effects on contractility, membrane potentials, and cation content of rat atria, 825